Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

aSB252.A1U5

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES
Cotton Quality Report

USDA
NAT'L AGRIC LIB
2004 FEB 19 P
JAN 20 2004



Classings Through January 1, 2004

VOL. 77, NO. 4

January 2, 2004

Table 1. -- ***United States***: Distribution of color, leaf and staple for upland cotton classed through January 1, 2004

QUALITY		STAPLE								
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	8	225	2,205	13,302	46,001	108,543	216,780	324,607	711,671
	3	3	123	1,098	6,345	24,739	70,338	174,059	307,575	584,280
	4	-	5	90	604	2,824	7,351	12,516	22,767	46,157
	5	-	-	4	28	119	374	453	584	1,562
	6	-	-	-	-	4	11	9	14	38
	7	-	-	-	-	1	2	-	-	3
TOTAL---		***11***	***353***	***3,397***	***20,279***	***73,688***	***186,619***	***403,817***	***655,547***	***1,343,711***
31	1-2	7	85	608	3,276	11,744	35,393	91,199	132,388	274,700
	3	12	134	1,299	7,662	29,128	120,813	680,859	1,681,937	2,521,844
	4	-	51	436	3,017	11,629	32,848	144,993	484,403	677,377
	5	-	3	62	522	2,181	5,755	10,114	20,383	39,020
	6	-	1	2	36	285	770	866	775	2,735
	7	-	-	-	2	30	86	64	33	215
TOTAL---		***19***	***274***	***2,407***	***14,515***	***54,997***	***195,665***	***928,095***	***2,319,919***	***3,515,891***
41	1-2	-	-	26	211	853	3,646	11,449	15,801	31,986
	3	-	3	51	658	4,576	56,005	355,531	828,713	1,245,537
	4	-	2	41	389	2,246	20,570	158,856	537,343	719,447
	5	-	3	25	190	939	3,562	12,884	39,229	56,832
	6	-	1	9	79	280	1,156	2,047	3,022	6,594
	7	-	-	-	28	59	227	391	326	1,031
TOTAL---		***-***	***9***	***152***	***1,555***	***8,953***	***85,166***	***541,158***	***1,424,434***	***2,061,427***
51	1-2	-	-	1	9	22	125	280	342	779
	3	-	-	1	20	291	3,728	15,107	22,185	41,332
	4	-	-	1	9	210	3,407	17,697	32,106	53,430
	5	-	-	-	5	46	642	3,202	5,885	9,780
	6	-	-	-	3	16	85	328	589	1,021
	7	-	-	-	1	19	47	85	97	249
TOTAL---		***-***	***-***	***3***	***47***	***604***	***8,034***	***36,699***	***61,204***	***106,591***
61	1-2	-	-	-	-	-	3	9	9	21
	3	-	-	1	1	4	29	77	92	204
	4	-	-	-	1	2	53	179	222	457
	5	-	-	-	-	4	21	78	124	227
	6	-	-	-	-	1	3	13	19	36
	7	-	-	-	-	-	1	4	3	8
TOTAL---		***-***	***-***	***1***	***2***	***11***	***110***	***360***	***469***	***953***
71	1-2	-	-	-	-	1	-	1	2	4
	3	-	-	-	-	-	1	3	7	11
	4	-	-	-	-	-	1	1	4	6
	5	-	-	-	-	-	-	1	2	3
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
TOTAL---		***-***	***-***	***-***	***-***	***1***	***2***	***6***	***15***	***24***
12 & 22	1-2	3	114	771	2,079	4,559	7,847	9,698	10,098	35,169
	3	1	22	278	1,335	4,541	8,559	11,751	12,962	39,449
	4	-	4	37	215	620	1,129	1,688	2,093	5,786
	5	-	-	-	4	19	81	60	126	290
	6	-	-	-	-	-	5	-	2	7
	7	-	-	-	-	-	-	-	-	-
TOTAL---		***4***	***140***	***1,086***	***3,633***	***9,739***	***17,621***	***23,197***	***25,281***	***80,701***
32	1-2	3	49	243	720	1,373	2,354	3,066	2,644	10,452
	3	2	35	350	1,996	5,550	9,684	21,692	31,359	70,668
	4	-	11	163	980	3,153	6,107	11,551	20,288	42,253
	5	-	1	40	161	604	1,257	1,397	2,450	5,910
	6	-	-	2	9	69	167	110	190	547
	7	-	-	-	1	22	37	7	24	91
TOTAL---		***5***	***96***	***798***	***3,867***	***10,771***	***19,606***	***37,823***	***56,955***	***129,921***
42	1-2	-	-	12	54	124	415	841	734	2,180
	3	-	2	65	514	1,884	6,090	21,528	34,330	64,413
	4	-	-	42	506	2,368	5,956	21,041	46,110	76,023
	5	-	-	24	172	751	1,823	3,462	7,125	13,357
	6	-	2	17	30	107	322	410	618	1,506
	7	-	-	1	2	25	95	82	97	302
TOTAL---		***-***	***4***	***161***	***1,278***	***5,259***	***14,701***	***47,364***	***89,014***	***157,781***
52	1-2	-	-	-	1	1	27	62	56	147
	3	-	-	1	20	198	1,107	4,180	5,175	10,681
	4	-	-	4	29	177	1,327	6,746	11,970	20,253
	5	-	-	1	4	46	236	1,440	2,798	4,525
	6	-	-	-	5	3	23	135	195	361
	7	-	-	-	-	-	3	11	18	32
TOTAL---		***-***	***-***	***6***	***59***	***425***	***2,723***	***12,574***	***20,212***	***35,999***

Table 1. -- ***United States***: Distribution of color, leaf and staple for upland cotton classed through January 1, 2004

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	1	-	6	5	12
	3	-	-	-	2	27	90	108	85	312
	4	-	-	-	1	5	70	167	154	397
	5	-	-	-	-	1	22	85	98	206
	6	-	-	-	-	1	3	18	16	38
	7	-	-	-	-	-	-	-	-	-
TOTAL---		***-***	***-***	***-***	***3***	***35***	***185***	***384***	***358***	***965***
13 & 23	1-2	-	6	31	121	253	527	705	995	2,638
	3	-	2	28	120	319	785	1,043	965	3,262
	4	-	-	9	24	51	111	125	141	461
	5	-	-	-	-	2	9	4	9	24
	6	-	-	-	-	-	1	1	-	2
	7	-	-	-	-	-	-	-	-	-
TOTAL---		***-***	***8***	***68***	***265***	***625***	***1,433***	***1,878***	***2,110***	***6,387***
33	1-2	1	5	8	76	190	286	400	396	1,362
	3	-	4	70	180	438	903	1,799	3,108	6,502
	4	-	1	18	79	280	599	880	1,281	3,138
	5	-	-	5	33	152	168	192	198	748
	6	-	-	2	2	40	23	15	25	107
	7	-	-	-	-	7	2	1	3	13
TOTAL---		***1***	***10***	***103***	***370***	***1,107***	***1,981***	***3,287***	***5,011***	***11,870***
43	1-2	-	-	-	6	13	35	139	142	335
	3	-	-	1	32	112	414	1,770	3,517	5,846
	4	-	-	1	23	139	380	1,649	3,463	5,655
	5	-	-	1	19	64	135	277	498	994
	6	-	-	-	1	47	49	75	78	250
	7	-	-	-	-	5	29	10	14	58
TOTAL---		***-***	***-***	***3***	***81***	***380***	***1,042***	***3,920***	***7,712***	***13,138***
53	1-2	-	-	-	1	2	20	22	18	63
	3	-	-	-	4	33	273	863	941	2,114
	4	-	-	1	8	25	305	1,673	2,252	4,264
	5	-	-	-	2	9	46	316	599	972
	6	-	-	-	-	4	11	37	76	128
	7	-	-	-	-	-	1	8	7	16
TOTAL---		***-***	***-***	***1***	***15***	***73***	***656***	***2,919***	***3,893***	***7,557***
63	1-2	-	-	-	-	-	1	-	1	2
	3	-	-	-	-	3	22	52	35	112
	4	-	-	-	-	6	26	174	184	390
	5	-	-	-	-	-	19	151	155	325
	6	-	-	-	-	-	11	53	48	112
	7	-	-	-	-	-	-	1	4	5
TOTAL---		***-***	***-***	***-***	***-***	***9***	***79***	***431***	***427***	***946***
24-54	1-7	-	-	5	26	80	304	814	1,299	2,528
25-35	1-7	-	-	-	-	-	1	-	1	2
81-85 1/	1-7	-	-	-	9	16	64	191	228	508
All Colors	8 2/	-	-	-	19	40	95	348	379	881
TOTAL, ALL---		***40***	***894***	***8,191***	***46,023***	***166,813***	***536,087***	***2,045,265***	***4,674,468***	***7,477,781***

Table 1. -- ***United States***: Distribution of color, leaf and staple for upland cotton classed through January 1, 2004

QUALITY	LEAF	STAPLE							
COLOR		35	36	37	38	39	40 &+	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	379,494	370,513	322,928	170,244	91,320	17,480	1,351,979	2,063,650
	3	278,767	239,232	252,419	70,119	39,400	14,249	894,186	1,478,466
	4	26,267	19,241	18,192	4,508	1,310	704	70,222	116,379
	5	493	389	235	91	27	5	1,240	2,802
	6	9	6	5	1	-	-	21	59
	7	-	-	-	-	-	-	-	3
TOTAL----		***685,030***	***629,381***	***593,779***	***244,963***	***132,057***	***32,438***	***2,317,648***	***3,661,359***
31	1-2	114,244	82,357	44,587	18,053	9,087	2,689	271,017	545,717
	3	1,474,478	641,273	238,272	43,569	20,881	10,197	2,428,670	4,950,514
	4	664,975	338,970	123,188	22,494	4,978	2,035	1,156,640	1,834,017
	5	29,629	16,425	7,678	1,650	381	101	55,864	94,884
	6	877	454	308	75	18	3	1,735	4,470
	7	19	12	6	1	1	-	39	254
TOTAL----		***2,284,222***	***1,079,491***	***414,039***	***85,842***	***35,346***	***15,025***	***3,913,965***	***7,429,856***
41	1-2	10,701	5,392	2,608	651	142	17	19,511	51,497
	3	659,750	214,015	58,140	8,057	1,336	254	941,552	2,187,089
	4	694,725	305,604	97,971	17,720	2,301	357	1,118,678	1,838,125
	5	66,458	38,708	19,643	4,939	589	65	130,402	187,234
	6	3,804	2,116	1,483	331	30	7	7,771	14,365
	7	319	153	111	19	1	2	605	1,636
TOTAL----		***1,435,757***	***565,988***	***179,956***	***31,717***	***4,399***	***702***	***2,218,519***	***4,279,946***
51	1-2	321	121	87	18	3	1	551	1,330
	3	12,920	4,171	2,312	486	54	10	19,953	61,285
	4	23,993	9,104	4,930	875	25	190	39,117	92,547
	5	5,260	2,861	1,770	256	32	-	10,179	19,959
	6	725	405	325	48	2	-	1,505	2,526
	7	149	98	36	2	-	-	285	534
TOTAL----		***43,368***	***16,760***	***9,460***	***1,685***	***173***	***25***	***71,471***	***178,062***
61	1-2	5	6	8	1	-	1	21	42
	3	80	48	39	9	-	2	178	382
	4	126	68	56	6	1	-	257	714
	5	50	35	54	8	1	-	148	375
	6	19	16	15	3	-	-	53	89
	7	9	3	3	-	-	-	15	23
TOTAL----		***289***	***176***	***175***	***27***	***2***	***3***	***672***	***1,625***
71	1-2	3	-	-	-	-	-	3	7
	3	6	6	7	-	-	-	19	30
	4	1	-	5	-	-	-	6	12
	5	1	1	-	-	-	-	2	5
	6	-	1	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-
TOTAL----		***11***	***8***	***12***	***-***	***-***	***-***	***31***	***55***
12 & 22	1-2	7,825	4,377	2,431	1,345	858	156	16,992	52,161
	3	11,378	8,540	6,846	1,648	1,061	461	29,934	69,383
	4	2,104	1,551	1,148	289	53	78	5,223	11,009
	5	100	50	34	6	1	2	193	483
	6	-	2	-	-	-	-	2	9
	7	-	-	-	-	-	-	-	-
TOTAL----		***21,407***	***14,520***	***10,459***	***3,288***	***1,973***	***697***	***52,344***	***133,045***
32	1-2	1,817	1,132	871	559	370	104	4,853	15,305
	3	25,667	14,410	9,886	2,858	1,800	666	55,287	125,955
	4	22,177	11,904	8,915	2,476	593	374	46,439	88,692
	5	2,765	1,347	783	274	66	40	5,275	11,185
	6	187	87	56	24	2	1	357	904
	7	20	8	2	1	-	-	31	122
TOTAL----		***52,633***	***28,888***	***20,513***	***6,192***	***2,831***	***1,185***	***112,242***	***242,163***
42	1-2	402	328	343	138	38	7	1,256	3,436
	3	22,872	10,371	6,056	1,507	404	81	41,291	105,704
	4	44,058	19,142	11,846	3,462	494	110	79,112	155,135
	5	8,996	4,323	2,204	645	123	23	16,314	29,671
	6	669	361	257	63	9	4	1,363	2,869
	7	92	26	38	10	-	3	169	471
TOTAL----		***77,089***	***34,551***	***20,744***	***5,825***	***1,068***	***228***	***139,505***	***297,286***
52	1-2	54	23	31	20	5	1	134	281
	3	2,913	993	741	204	29	2	4,882	15,563
	4	9,203	3,382	2,852	617	38	4	16,096	36,349
	5	2,445	1,229	1,079	208	33	2	4,996	9,521
	6	223	206	210	27	4	-	670	1,031
	7	30	38	29	4	3	1	105	137
TOTAL----		***14,868***	***5,871***	***4,942***	***1,080***	***112***	***10***	***26,883***	***62,882***

Table 1. -- ***United States***: Distribution of color, leaf and staple for upland cotton classed through January 1, 2004

QUALITY		STAPLE							
COLOR	LEAF	35	36	37	38	39	40 &+	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	3	-	3	1	-	7	19
	3	57	35	36	8	2	-	138	450
	4	100	76	65	7	-	1	249	646
	5	35	29	48	10	1	-	123	329
	6	12	15	33	8	1	-	69	107
	7	1	1	3	-	-	-	5	5
TOTAL---		***205***	***159***	***185***	***36***	***5***	***1***	***591***	***1,556***
13 & 23	1-2	920	531	172	164	55	4	1,846	4,484
	3	854	651	521	62	43	17	2,148	5,410
	4	140	92	44	5	1	-	282	743
	5	11	7	1	-	-	-	19	43
	6	-	-	-	-	-	-	-	2
	7	-	-	-	-	-	-	-	-
TOTAL---		***1,925***	***1,281***	***738***	***231***	***99***	***21***	***4,295***	***10,682***
33	1-2	352	255	124	114	73	9	927	2,289
	3	3,127	2,429	1,646	440	205	96	7,943	14,445
	4	1,546	1,162	934	246	38	44	3,970	7,108
	5	216	64	53	20	5	1	359	1,107
	6	24	2	5	-	-	-	31	138
	7	1	-	-	-	-	-	1	14
TOTAL---		***5,266***	***3,912***	***2,762***	***820***	***321***	***150***	***13,231***	***25,101***
43	1-2	125	53	60	23	5	-	266	601
	3	3,634	2,703	1,524	384	76	16	8,337	14,183
	4	3,908	2,795	2,630	722	95	23	10,173	15,828
	5	591	387	348	119	31	15	1,491	2,485
	6	107	44	34	26	2	1	214	464
	7	25	5	1	2	1	-	34	92
TOTAL---		***8,390***	***5,987***	***4,597***	***1,276***	***210***	***55***	***20,515***	***33,653***
53	1-2	15	6	9	6	1	-	37	100
	3	671	390	370	79	6	2	1,518	3,632
	4	1,762	1,159	1,153	256	23	4	4,357	8,621
	5	453	408	554	74	12	9	1,510	2,482
	6	52	55	99	11	5	1	223	351
	7	2	4	7	6	2	-	21	37
TOTAL---		***2,955***	***2,022***	***2,192***	***432***	***49***	***16***	***7,666***	***15,223***
63	1-2	-	1	-	-	1	1	3	5
	3	11	10	11	2	-	-	34	146
	4	76	51	52	6	-	-	185	575
	5	72	42	29	2	-	-	145	470
	6	10	5	11	2	-	-	28	140
	7	3	1	1	-	-	-	5	10
TOTAL---		***172***	***110***	***104***	***12***	***1***	***1***	***400***	***1,346***
24-54	1-7	1,622	2,066	1,871	567	75	10	6,211	8,739
25-35	1-7	1	-	-	-	-	-	1	3
81-85 1/	1-7	370	457	454	133	33	6	1,453	1,961
All Colors	8 2/	127	78	59	9	1	-	274	1,155
TOTAL, ALL-----		***4,635,707***	***2,391,706***	***1,267,041***	***384,135***	***178,755***	***50,573***	***8,907,917***	***16,385,698***

EXTRANEOUS MATTER	
Bark - Level 1	268,333
Bark - Level 2	295
Grass - Level 1	89,558
Grass - Level 2	1,237
Prep - Level 1	73,591
Prep - Level 2	253
Other - Level 1	3,701
Other - Level 2	26

Average Staple	***34.7***
Percent Tenderable	***75.4***

16,385,698 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- ***United States***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	*	*	*	0.1	0.3	0.7	1.3	2.0	2.3	2.3	2.0	1.0	0.6	0.1	12.6
	3	*	*	*	*	0.2	0.4	1.1	1.9	1.7	1.5	1.5	0.4	0.2	0.1	9.0
11 & 21	4	-	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.7
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
TOTAL---		*	*	*	***0.1***	***0.4***	***1.1***	***2.5***	***4.0***	***4.2***	***3.8***	***3.6***	***1.5***	***0.8***	***0.2***	***22.3***
	1-2	*	*	*	*	0.1	0.2	0.6	0.8	0.7	0.5	0.3	0.1	0.1	*	3.3
	3	*	*	*	*	0.2	0.7	4.2	10.3	9.0	3.9	1.5	0.3	0.1	0.1	30.2
31	4	-	*	*	*	0.1	0.2	0.9	3.0	4.1	2.1	0.8	0.1	*	*	11.2
	5	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		*	*	*	***0.1***	***0.3***	***1.2***	***5.7***	***14.2***	***13.9***	***6.6***	***2.5***	***0.5***	***0.2***	***0.1***	***45.3***
	1-2	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	3	-	*	*	*	*	0.3	2.2	5.1	4.0	1.3	0.4	*	*	*	13.3
41	4	-	*	*	*	*	0.1	1.0	3.3	4.2	1.9	0.6	0.1	*	*	11.2
	5	-	*	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	*	*	1.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL---		-	*	*	*	*	***0.5***	***3.3***	***8.7***	***8.8***	***3.5***	***1.1***	***0.2***	*	*	***26.1***
	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
51	4	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL---		-	-	*	*	*	*	***0.2***	***0.4***	***0.3***	***0.1***	***0.1***	*	*	*	***1.1***
	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	*	*
61	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL---		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	1-2	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	4	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	1-2	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	3	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
12 & 22	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		*	*	*	*	***0.1***	***0.1***	***0.1***	***0.2***	***0.1***	***0.1***	***0.1***	*	*	*	***0.8***
	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	0.8
32	4	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL---		*	*	*	*	***0.1***	***0.1***	***0.2***	***0.3***	***0.3***	***0.2***	***0.1***	*	*	*	***1.5***
	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.6
42	4	-	-	*	*	*	*	0.1	0.3	0.3	0.1	0.1	*	*	*	0.9
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	*	*
TOTAL---		-	*	*	*	*	***0.1***	***0.3***	***0.5***	***0.5***	***0.2***	***0.1***	*	*	*	***1.8***
	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
52	4	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL---		-	-	*	*	*	*	***0.1***	***0.1***	***0.1***	*	*	*	*	*	***0.4***

* Less than 0.05 percent.

Table 2. -- ***United States***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	*	-	*	*	-	*	-	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
62	4	-	-	-	*	*	*	*	*	*	*	*	*	-	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL---		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	*	*	*	*	*	*	*	*	*	*	*	*	*	***0.1***
	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
TOTAL---		*	*	*	*	*	*	*	*	*	*	*	*	*	*	***0.2***
	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
43	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		-	-	*	*	*	*	*	*	*	*	*	*	*	*	***0.2***
	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
53	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL---		-	-	*	*	*	*	*	*	*	*	*	*	*	*	***0.1***
	1-2	-	-	-	-	-	*	-	*	-	*	-	-	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
63	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL-----		*	*	*	***0.3***	***1.0***	***3.3***	***12.5***	***28.5***	***28.3***	***14.6***	***7.7***	***2.3***	***1.1***	***0.3***	***100.0***

EXTRANEOUS MATTER			
Bark - Level 1	1.6	Average Staple	***34.7***
Bark - Level 2	*	Percent Tenderable	***75.4***
Grass - Level 1	0.5		
Grass - Level 2	*		
Prep - Level 1	0.4		
Prep - Level 2	*		
Other - Level 1	*		
Other - Level 1	*		

16,385,698 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- ***Alabama***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.4	0.6	0.4	0.2	*	*	-	-	1.7
11 & 21	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	***0.1***	***0.5***	***0.8***	***0.6***	***0.3***	*	*	*	-	***2.3***
	1-2	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	-	0.9
	3	-	-	-	*	*	0.7	5.1	11.2	10.0	3.0	0.3	*	*	*	30.4
31	4	-	-	-	*	*	0.2	3.1	8.0	6.9	3.0	0.4	*	*	*	21.6
	5	-	-	-	-	*	*	0.2	0.7	0.5	0.2	*	*	-	-	1.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL---		-	-	-	*	***0.1***	***1.0***	***8.7***	***20.2***	***17.6***	***6.3***	***0.7***	*	*	*	***54.6***
	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.5	3.5	7.4	5.3	1.1	0.1	*	*	-	17.8
41	4	-	-	-	-	*	0.2	2.5	6.3	5.5	1.8	0.4	*	*	-	16.8
	5	-	-	-	-	*	*	0.4	1.1	0.8	0.2	0.1	*	-	-	2.7
	6	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.8***	***6.6***	***15.0***	***11.7***	***3.1***	***0.6***	*	*	-	***37.8***
	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
51	4	-	-	-	-	*	*	0.2	0.3	0.1	*	*	*	-	-	0.8
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.1***	***0.5***	***0.6***	***0.3***	*	*	*	-	-	***1.6***
	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
61	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
32	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	***0.1***	***0.2***	***0.2***	***0.1***	*	*	-	-	***0.6***
	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.3	0.4	0.2	*	*	*	-	-	1.0
42	4	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	*	-	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.1***	***0.5***	***0.9***	***0.5***	***0.1***	*	*	*	-	***2.1***
	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
52	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	***0.2***	***0.3***	***0.1***	*	*	-	-	-	***0.6***

* Less than 0.05 percent.

Table 3. -- ***Alabama***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	*	-	-	*	-	*
33	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	-	-	***0.1***
43	1-2	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	***0.1***	*	*	*	*	-	-	***0.1***
53	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	***0.1***
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL, ALL---		-	-	-	*	***0.1***	***2.1***	***17.2***	***38.1***	***31.1***	***9.9***	***1.3***	***0.1***	*	*	***100.0***

EXTRANEOUS MATTER			
		Average Staple	***34.3***
		Percent Tenderable	***87.3***
Bark - Level 1	2.1		
Bark - Level 2	*		
Grass - Level 1	0.2		
Grass - Level 2	*		
Prep - Level 1	0.5		
Prep - Level 2	-		
Other - Level 1	*		
Other - Level 1	-		

770,012 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- ***Arizona***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY / COLOR	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.8	4.6	12.9	12.8	5.3	0.4	*	*	36.9
	3	-	-	-	-	*	*	0.1	0.7	2.0	2.3	1.5	0.2	*	*	6.8
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	*	***0.1***	***0.9***	***5.3***	***14.9***	***15.2***	***6.8***	***0.7***	*	*	***43.8***
31	1-2	-	-	-	-	*	*	0.4	2.7	7.2	8.0	4.3	0.4	*	*	23.1
	3	-	-	-	-	*	*	0.3	1.7	4.8	5.8	3.4	0.6	0.1	*	16.6
	4	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	1.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	***0.1***	***0.8***	***4.5***	***12.3***	***14.1***	***8.0***	***1.0***	***0.1***	*	***40.9***
41	1-2	-	-	-	-	-	*	0.1	0.6	0.9	0.7	0.3	*	*	-	2.6
	3	-	-	-	-	*	*	0.2	0.9	1.7	1.4	0.7	0.1	*	-	5.1
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	*	*	-	0.9
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	***0.1***	***0.5***	***1.7***	***2.8***	***2.4***	***1.2***	***0.1***	*	-	***8.7***
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	***0.1***	*	*	*	-	-	***0.2***
61	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	0.9
	3	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	0.9
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	***0.3***	***0.7***	***0.6***	***0.2***	*	*	-	***1.9***
32	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	3	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	-	1.5
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	***0.2***	***0.5***	***0.8***	***0.6***	***0.3***	*	*	*	***2.5***
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	-	0.7
	4	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	0.6
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	*	*	-	-	*
TOTAL---		-	-	-	-	*	*	***0.2***	***0.4***	***0.4***	***0.3***	***0.2***	*	*	-	***1.5***
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	-	-	***0.1***

* Less than 0.05 percent.

Table 4. -- ***Arizona***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*0.1*
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*0.1*	*	*	*	*	-	-	*0.2*
53	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL---		-	-	-	*	*	*0.3*	*2.7*	*12.9*	*32.0*	*33.4*	*16.6*	*1.9*	*0.2*	*	*100.0*

EXTRANEOUS MATTER	
Bark - Level 1	1.6
Bark - Level 2	*
Grass - Level 1	0.6
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Other - Level 1	0.3
Other - Level 1	*

Average Staple	*35.5*
Percent Tenderable	*63.2*

410,061 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. – ***Arkansas***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY COLOR	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.3	1.2	1.0	0.4	0.1	*	*	-	3.0
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	***0.3***	***1.4***	***1.2***	***0.5***	***0.1***	*	*	-	***3.5***
31	1-2	-	-	-	-	*	*	0.2	0.5	0.2	0.1	*	-	-	-	1.0
	3	-	-	-	-	*	0.2	3.7	15.6	16.4	6.9	1.4	*	*	-	44.2
	4	-	-	-	-	*	*	0.4	4.1	9.3	3.9	0.6	*	*	-	18.4
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.2***	***4.3***	***20.3***	***26.2***	***11.0***	***2.0***	*	*	-	***64.0***
41	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.8	4.1	5.4	2.2	0.3	*	*	-	12.9
	4	-	-	-	-	*	*	0.4	3.1	7.5	3.4	0.5	*	*	-	14.9
	5	-	-	-	-	-	*	*	0.1	0.6	0.3	*	*	*	-	1.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.1***	***1.2***	***7.5***	***13.5***	***5.9***	***0.8***	*	*	-	***29.0***
51	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	***0.1***	***0.3***	***0.2***	***0.1***	*	*	*	-	***0.7***
61	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	***0.1***	***0.3***	***0.3***	***0.1***	*	*	*	-	***0.8***
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.2	0.2	*	*	*	-	-	0.5
	4	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	***0.1***	***0.4***	***0.5***	***0.2***	*	*	-	-	***1.2***
52	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	***0.1***	***0.1***	*	*	-	-	-	***0.2***

* Less than 0.05 percent.

Table 5. -- ***Arkansas***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	***0.1***
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	***0.1***
53	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	*	-	*
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL, ALL-----		-	-	-	-	*	***0.3***	***6.3***	***30.3***	***42.2***	***17.9***	***3.0***	***0.1***	*	-	***100.0***

EXTRANEOUS MATTER	
Bark - Level 1	0.3
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	0.1
Prep - Level 2	*
Other - Level 1	*
Other - Level 1	-

Average Staple	***34.8***
Percent Tenderable	***75.8***

1,731,643 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- ***California***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	▪	▪	0.1	0.8	3.1	9.0	16.1	12.1	6.8	1.3	49.4
	3	-	-	-	-	-	▪	*	0.2	1.0	4.8	10.8	4.3	2.9	1.1	25.0
	4	-	-	-	-	-	▪	*	▪	*	0.2	0.6	0.2	0.1	▪	1.3
	5	-	-	-	-	-	-	▪	▪	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	▪	▪	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	▪	▪	***0.2***	***1.0***	***4.1***	***14.0***	***27.6***	***16.7***	***9.7***	***2.4***	***75.7***
31	1-2	-	-	-	-	*	*	0.1	0.3	0.8	1.1	1.1	1.2	0.7	0.2	5.5
	3	-	-	-	-	*	*	0.1	0.2	0.6	2.1	3.5	1.8	1.5	0.8	10.5
	4	-	-	-	*	*	*	*	*	0.1	0.5	1.3	0.4	0.3	0.1	2.9
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
TOTAL---		-	-	-	*	*	*	***0.1***	***0.6***	***1.5***	***3.8***	***6.1***	***3.5***	***2.4***	***1.1***	***19.1***
41	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	1.0
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	0.1	*	0.8
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL---		-	-	-	-	*	*	***0.1***	***0.1***	***0.2***	***0.6***	***0.8***	***0.4***	***0.2***	*	***2.4***
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	***0.1***	***0.1***	***0.1***	*	*	*	***0.4***
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL---		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	3	-	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	0.4
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	***0.1***	***0.2***	***0.2***	***0.1***	*	***0.7***
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	0.5
	4	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	***0.1***	***0.2***	***0.2***	***0.2***	***0.1***	***0.9***
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	***0.1***	***0.1***	***0.1***	*	***0.3***
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	*	*	***0.1***

▪ Less than 0.05 percent.

Table 6. -- ***California***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL---		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	*	*	***0.1***
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	*	*	***0.1***
53	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL---		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL, ALL-----		-	-	-	*	*	***0.1***	***0.4***	***1.8***	***6.1***	***18.8***	***35.3***	***21.0***	***12.9***	***3.8***	***100.0***

EXTRANEOUS MATTER			
		Average Staple	***37.2***
		Percent Tenderable	***91.0***
Bark - Level 1	0.4		
Bark - Level 2	-		
Grass - Level 1	0.3		
Grass - Level 2	*		
Prep - Level 1	0.1		
Prep - Level 2	*		
Other - Level 1	0.1		
Other - Level 1	-		

1,334,501 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- ***Florida***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY COLOR	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	0.1	0.3	0.1	*	-	-	-	-	0.5
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	***0.1***	***0.4***	***0.2***	*	-	-	-	-	***0.6***
31	1-2	-	-	-	-	-	*	0.3	0.5	0.1	*	-	-	-	-	1.0
	3	-	-	-	-	*	0.2	3.6	13.6	9.7	1.9	*	-	-	-	29.0
	4	-	-	-	-	-	*	0.4	2.4	3.4	0.9	*	-	-	-	7.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	***0.2***	***4.3***	***16.5***	***13.3***	***2.9***	***0.1***	-	-	-	***37.2***
41	1-2	-	-	-	-	-	*	0.2	0.3	0.1	*	-	-	-	-	0.7
	3	-	-	-	-	*	0.3	5.7	19.5	11.2	1.1	*	-	-	-	37.8
	4	-	-	-	-	*	*	1.2	6.8	6.7	1.1	*	-	-	-	15.8
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	***0.4***	***7.1***	***26.7***	***18.0***	***2.3***	*	-	-	-	***54.6***
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	1.0	1.5	0.5	*	-	-	-	-	3.1
	4	-	-	-	-	*	*	0.6	1.4	0.5	*	-	-	-	-	2.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	***0.1***	***1.7***	***2.9***	***1.0***	*	*	-	-	-	***5.7***
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	*	-	-	-	-	***0.1***
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.2	*	*	-	-	-	0.5
	4	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	***0.2***	***0.4***	***0.3***	*	*	-	-	-	***0.9***
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	-	0.2
	4	-	-	-	-	-	*	0.1	0.3	0.1	*	-	-	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	***0.2***	***0.4***	***0.2***	*	-	-	-	-	***0.8***

* Less than 0.05 percent.

Table 7. -- ***Florida***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL---		-	-	-	-	*	***0.7***	***13.5***	***47.4***	***32.9***	***5.3***	***0.1***	-	-	-	***100.0***

EXTRANEOUS MATTER			
		Average Staple	***34.3***
		Percent Tenderable	***88.2***
Bark - Level 1	1.0		
Bark - Level 2	*		
Grass - Level 1	0.1		
Grass - Level 2	-		
Prep - Level 1	1.1		
Prep - Level 2	*		
Other - Level 1	-		
Other - Level 1	-		

118,949 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- ***Georgia***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	-	1.0
11 & 21	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	*	*	***0.3***	***0.5***	***0.3***	***0.1***	*	*	-	-	***1.2***
	1-2	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	-	*	*	0.5	4.5	10.4	7.2	1.4	0.1	*	*	*	24.2
31	4	-	-	-	*	*	0.1	0.8	2.2	2.0	0.6	0.1	*	*	*	5.8
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	*	***0.7***	***5.5***	***12.9***	***9.3***	***1.9***	***0.2***	*	*	*	***30.5***
	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.4
	3	-	-	-	*	*	1.2	8.0	16.2	9.4	1.4	0.3	*	*	*	36.7
41	4	-	-	-	*	*	0.4	3.1	8.6	7.6	1.9	0.6	0.1	*	*	22.4
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	***0.1***	***1.7***	***11.3***	***25.1***	***17.3***	***3.5***	***0.9***	***0.2***	*	*	***60.0***
	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.4	0.6	0.3	*	*	*	-	-	1.5
51	4	-	-	-	*	*	0.1	0.3	0.8	0.6	0.1	0.1	*	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	*	***0.2***	***0.8***	***1.5***	***0.9***	***0.2***	***0.1***	*	*	-	***3.7***
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
61	4	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	E	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
32	4	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	*	*	***0.1***	***0.2***	***0.1***	*	*	*	*	-	***0.4***
	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	*	*	*	0.3	0.5	0.3	*	*	*	*	-	1.1
42	4	-	-	-	*	*	*	0.3	0.7	0.5	0.1	*	*	*	*	1.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL---		-	-	-	*	*	***0.1***	***0.6***	***1.2***	***0.8***	***0.2***	*	*	*	*	***3.0***
	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
52	4	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	*	*	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	***0.2***	***0.4***	***0.3***	***0.1***	*	*	*	*	***1.0***

* Less than 0.05 percent.

Table 8. – ***Georgia***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	▪	▪	*	*	▪	▪	▪	-	-	-	-	▪
	4	-	-	-	-	*	*	*	▪	▪	▪	*	-	-	-	*
	5	-	-	-	-	-	▪	*	▪	▪	-	▪	-	-	-	▪
	6	-	-	-	-	-	-	▪	▪	▪	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	▪
TOTAL---		-	-	-	▪	*	▪	*	▪	▪	*	*	-	-	-	▪
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	-	***0.1***
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	*	-	-	*	*	-	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
TOTAL, ALL---		-	-	-	*	***0.1***	***2.6***	***18.7***	***41.8***	***29.1***	***6.0***	***1.4***	***0.3***	*	*	***100.0***

EXTRANEOUS MATTER			
Bark - Level 1	1.1	Average Staple	***34.2***
Bark - Level 2	▪	Percent Tenderable	***87.5***
Grass - Level 1	0.1		
Grass - Level 2	-		
Prep - Level 1	1.6		
Prep - Level 2	▪		
Other - Level 1	*		
Other - Level 1	-		

1,941,254 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. ▪ Less than 0.05 percent.

Table 9. – ***Kansas***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	*	*	0.1	0.2	0.4	0.3	0.4	0.5	0.1	*	-	-	-	2.1
	3	-	*	0.1	0.6	1.6	1.7	1.8	2.9	3.4	1.3	0.1	-	-	-	13.6
11 & 21	4	-	-	*	0.3	1.0	1.7	1.3	1.1	1.3	0.5	*	-	-	-	7.3
	5	-	-	-	*	0.2	0.4	0.2	0.1	0.1	*	-	-	-	-	1.0
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	*	*0.1*	*1.1*	*3.0*	*4.2*	*3.6*	*4.6*	*5.3*	*2.0*	*0.1*	-	-	-	*24.0*
	1-2	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	-	-	0.3
	3	*	*	0.2	1.0	1.7	1.9	1.6	1.1	0.8	0.2	*	-	-	-	8.6
31	4	-	*	0.2	1.1	4.5	6.4	5.2	2.4	2.1	0.7	*	-	-	-	22.6
	5	-	-	0.1	0.5	2.6	6.3	5.6	1.8	1.3	0.5	*	-	-	-	18.5
	6	-	-	-	*	0.4	1.2	1.2	0.3	0.2	*	-	-	-	-	3.4
	7	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	-	0.2
TOTAL—		*	*0.1*	*0.5*	*2.7*	*9.3*	*16.0*	*13.7*	*5.7*	*4.4*	*1.4*	*	-	-	-	*53.7*
	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	-	*	*	-	-	-	-	0.1
41	4	-	-	*	0.1	0.2	0.5	0.3	0.1	0.1	*	-	-	-	-	1.2
	5	-	-	*	0.1	0.5	1.5	1.5	0.5	0.2	0.1	*	-	-	-	4.4
	6	-	-	-	0.1	0.3	1.8	2.1	0.7	0.2	0.1	*	-	-	-	5.3
	7	-	-	-	0.1	0.1	0.4	0.7	0.3	0.1	*	-	-	-	-	1.7
TOTAL—		-	-	*	*0.3*	*1.2*	*4.3*	*4.5*	*1.6*	*0.6*	*0.2*	*	-	-	-	*12.7*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51	4	-	-	*	-	-	-	-	*	-	-	-	-	*	0.1	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	*	*	*	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	0.1
TOTAL—		-	-	*	*	*	*	*	*	*	-	-	-	-	-	*0.1*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
71	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	1-2	-	-	-	*	*	*	*	-	*	*	-	-	-	-	0.1
	3	-	-	*	*	0.1	0.1	*	*	0.1	0.1	*	-	-	-	0.5
12 & 22	4	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	*	*	*	0.1	*	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	*	*0.1*	*0.1*	*0.2*	*0.1*	*0.2*	*0.2*	*0.1*	*	-	-	-	*1.2*
	1-2	-	-	-	-	*	-	*	-	*	*	-	-	-	-	*
	3	-	-	*	0.1	0.1	0.1	*	*	*	*	-	-	-	-	0.5
32	4	-	-	*	0.2	0.4	0.4	0.2	0.1	0.1	0.1	-	-	-	-	1.6
	5	-	-	*	0.1	0.2	0.3	0.3	0.1	0.1	0.1	-	-	-	-	1.3
	6	-	-	*	*	*	0.1	0.1	0.1	0.1	*	-	-	-	-	0.4
	7	-	-	-	-	*	-	*	0.1	*	*	-	-	-	-	0.1
TOTAL—		-	-	*0.1*	*0.5*	*0.8*	*0.9*	*0.6*	*0.4*	*0.3*	*0.3*	-	-	-	-	*3.8*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	*	*	*	*	-	-	-	-	-	-	*
42	4	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.2
	5	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	-	0.4
	6	-	-	-	*	0.1	0.3	0.2	0.1	*	*	-	-	-	-	0.7
	7	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	-	-	0.4
TOTAL—		-	-	*	*0.1*	*0.3*	*0.6*	*0.4*	*0.2*	*0.1*	*	-	-	-	-	*1.7*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	*	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	-	*	-	-	-	-	-	*

* Less than 0.05 percent.

Table 9. -- ***Kansas***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
62	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	1-2	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
13 & 23	4	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	*	*	*	*	*	*0.1*	*	*	-	-	-	-	*0.3*
	1-2	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	-	-	-	-	0.2
33	4	-	-	*	*	0.1	*	*	0.1	*	*	*	-	-	-	0.4
	5	-	-	-	*	*	0.1	*	*	*	-	-	-	-	-	0.2
	6	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	*	*	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	*	*	-	-	-	*0.8*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	4	-	-	-	*	*	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
	6	-	-	-	-	-	0.1	0.1	*	*	-	-	-	-	-	0.1
	7	-	-	-	-	-	0.1	*	*	*	-	-	-	-	-	0.1
TOTAL---		-	-	-	*	*	*0.1*	*0.1*	*	*	-	-	-	-	-	*0.3*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	*	*	0.1	*	-	-	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	-	*	-	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	*	0.1	0.2	0.5	0.4	0.1	*	-	-	-	-	1.2
TOTAL, ALL-----		*	*0.1*	*0.9*	*4.9*	*15.1*	*26.6*	*23.8*	*13.3*	*11.1*	*4.1*	*0.1*	-	-	-	*100.0*

EXTRANEOUS MATTER	
Bark - Level 1	11.2
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	0.2
Prep - Level 2	-
Other - Level 1	*
Other - Level 1	-

Average Staple	*32.7*
Percent Tenderable	*22.2*

35,933 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- ***Louisiana***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	*	0.1	0.5	0.8	0.3	0.1	*	*	-	-	1.7
	3	-	-	-	-	*	0.1	0.9	1.9	1.1	0.3	0.1	*	▪	-	4.3
11 & 21	4	-	-	-	-	-	▪	▪	*	▪	▪	▪	*	*	-	0.1
	5	-	-	-	-	-	-	▪	-	-	▪	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	***0.2***	***1.3***	***2.7***	***1.4***	***0.4***	***0.1***	*	*	-	***6.1***
	1-2	-	-	-	-	*	0.1	0.6	1.0	0.4	0.1	*	*	-	-	2.3
	3	-	-	-	-	*	0.6	6.7	19.1	13.2	4.1	1.1	0.1	*	*	45.1
31	4	-	-	-	-	*	*	0.7	3.8	4.6	2.0	1.2	0.4	*	*	12.7
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.8***	***8.0***	***24.0***	***18.3***	***6.3***	***2.4***	***0.5***	*	*	***60.4***
	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.2	1.7	5.1	3.8	1.2	0.2	*	*	-	12.1
41	4	-	-	-	-	*	*	0.7	4.1	5.6	2.5	1.3	0.4	*	*	14.7
	5	-	-	-	-	-	*	*	0.2	0.6	0.5	0.6	0.2	*	*	2.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	-	*	-	-	*	-	-	*
TOTAL---		-	-	-	-	*	***0.2***	***2.5***	***9.5***	***10.0***	***4.1***	***2.1***	***0.7***	***0.1***	*	***29.1***
	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
51	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	***0.1***	***0.1***	***0.1***	***0.1***	*	*	-	-	***0.5***
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
61	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
12 & 22	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
32	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	***0.1***	***0.3***	***0.4***	***0.2***	***0.1***	*	*	*	-	***1.0***
	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.3	0.3	0.2	*	*	-	-	-	0.8
42	4	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	*	-	1.1
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.1***	***0.5***	***0.8***	***0.6***	***0.2***	*	*	*	-	***2.1***
	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
52	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL---		-	-	-	-	*	*	***0.1***	***0.2***	***0.2***	*	*	*	-	-	***0.5***

▪ Less than 0.05 percent.

Table 10. – ***Louisiana***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
62	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	4	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	***0.1***
	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	-	-	***0.1***
	1-2	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
53	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	***0.1***
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	*	*	-	*	-	-	-	-	*
63	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	*	***1.4***	***12.8***	***37.7***	***30.9***	***11.2***	***4.7***	***1.2***	***0.1***	*	***100.0***
															Average Staple	***34.6***
EXTRANEOUS MATTER															Percent Tenderable	***71.5***
Bark - Level 1		1.0														
Bark - Level 2		*														
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,028,253 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- ***Mississippi***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	*	*	0.2	0.4	0.1	▪	▪	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.7	1.7	1.0	0.2	▪	▪	▪	-	3.7
11 & 21	4	-	-	-	-	-	▪	▪	0.1	0.1	*	▪	▪	▪	-	0.3
	5	-	-	-	-	-	-	▪	▪	*	*	▪	▪	-	-	▪
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	***0.1***	***0.9***	***2.2***	***1.2***	***0.3***	*	*	*	-	***4.8***
	1-2	-	-	-	-	*	0.1	0.5	0.7	0.2	*	*	-	-	-	1.6
	3	-	-	-	-	*	0.4	6.1	16.1	12.2	3.2	0.3	*	*	*	38.3
31	4	-	-	-	-	*	0.1	1.5	6.2	7.8	3.2	0.5	*	*	-	19.3
	5	-	-	-	-	-	*	*	0.2	0.4	0.2	*	*	*	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.6***	***8.1***	***23.2***	***20.6***	***6.6***	***0.9***	***0.1***	*	*	***60.1***
	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	1.5	3.9	3.5	0.9	0.1	*	*	-	10.0
41	4	-	-	-	*	*	0.1	1.1	4.8	7.1	3.1	0.6	0.1	*	-	16.8
	5	-	-	-	-	*	*	0.1	0.6	1.1	0.6	0.2	*	*	-	2.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL---		-	-	-	*	*	***0.2***	***2.7***	***9.3***	***11.7***	***4.6***	***0.8***	***0.1***	*	-	***29.6***
	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
51	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	***0.2***	***0.3***	***0.2***	*	*	*	*	-	***0.8***
	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	*	-	*
61	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
12 & 22	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	***0.1***
	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
32	4	-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	***0.3***	***0.7***	***0.6***	***0.2***	*	*	-	-	***1.8***
	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
42	4	-	-	-	-	*	*	0.2	0.5	0.5	0.2	*	*	*	-	1.4
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	*	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	***0.3***	***0.8***	***0.8***	***0.3***	*	*	*	-	***2.3***
	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
52	4	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	***0.1***	***0.1***	***0.1***	*	*	*	-	-	***0.3***

▪ Less than 0.05 percent.

Table 11. – ***Mississippi***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*0.1*
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*0.1*	*0.1*	*	*	*	-	-	*0.2*
53	1-2	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*0.1*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL, ALL-----		-	-	-	*	*	***1.0***	***12.6***	***36.8***	***35.3***	***12.1***	***1.9***	***0.2***	*	*	***100.0***

EXTRANEOUS MATTER	
Bark - Level 1	0.9
Bark - Level 2	*
Grass - Level 1	0.2
Grass - Level 2	*
Prep - Level 1	0.1
Prep - Level 2	-
Other - Level 1	*
Other - Level 1	-

Average Staple	***34.5***
Percent Tenderable	***70.3***

2,055,560 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- ***Missouri***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	*	0.1	0.3	0.1	0.1	*	*	-	-	0.6
	3	-	-	-	-	-	*	0.5	2.4	2.4	1.0	0.2	*	-	-	6.5
11 & 21	4	-	-	-	-	-	-	*	0.1	0.3	0.2	*	-	-	-	0.7
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	***0.6***	***2.9***	***2.9***	***1.2***	***0.2***	*	-	-	***7.8***
	1-2	-	-	-	-	-	*	0.2	0.6	0.5	0.2	*	-	-	-	1.6
	3	-	-	-	-	-	0.1	1.8	11.7	18.6	12.1	3.6	*	-	-	47.8
31	4	-	-	-	-	-	*	0.2	2.3	9.1	8.8	2.2	*	-	-	22.6
	5	-	-	-	-	-	*	*	*	0.2	0.3	0.1	-	-	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	-	***0.1***	***2.2***	***14.7***	***28.4***	***21.5***	***5.8***	*	-	-	***72.7***
	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	0.3	1.5	3.0	2.6	1.0	*	*	-	8.4
41	4	-	-	-	-	-	*	0.1	0.7	2.8	3.0	1.1	*	*	-	7.7
	5	-	-	-	-	-	*	*	*	0.1	0.2	*	*	*	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	***0.4***	***2.3***	***5.9***	***5.8***	***2.1***	*	*	-	***16.6***
	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
51	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	***0.1***	***0.1***	***0.1***	*	*	-	-	***0.3***
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
61	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
12 & 22	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	*	*	-	-	-	***0.1***
	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	0.6
32	4	-	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	***0.2***	***0.4***	***0.3***	***0.1***	*	-	-	***1.1***
	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
42	4	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	***0.2***	***0.3***	***0.3***	***0.1***	*	-	-	***0.9***
	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
52	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	***0.1***

* Less than 0.05 percent.

Table 12. – ***Missouri***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	▪	-	-	-	-	*
	4	-	-	-	-	-	-	-	▪	▪	-	▪	-	-	-	▪
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	▪	*	▪	*	-	-	-	▪
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	***0.1***	***0.1***	*	-	-	-	***0.2***
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	***0.1***	***0.1***	*	*	-	-	***0.2***
53	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL, ALL-----		-	-	-	-	-	***0.2***	***3.3***	***20.4***	***38.3***	***29.3***	***8.5***	***0.1***	*	-	***100.0***

EXTRANEOUS MATTER			
		Average Staple	***35.2***
		Percent Tenderable	***83.9***
Bark - Level 1	0.2		
Bark - Level 2	-		
Grass - Level 1	*		
Grass - Level 2	-		
Prep - Level 1	0.2		
Prep - Level 2	-		
Other - Level 1	*		
Other - Level 1	-		

672,287 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. ▪ Less than 0.05 percent.

Table 13. -- ***New Mexico***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	▪	0.2	1.0	5.8	13.0	20.2	22.4	4.4	1.2	0.1	68.3
	3	-	-	-	-	▪	▪	0.2	0.8	1.0	1.0	2.3	2.0	1.5	0.4	9.3
11 & 21	4	-	-	-	-	-	-	▪	0.1	▪	*	0.1	0.1	0.2	0.1	0.8
	5	-	-	-	-	-	-	-	-	▪	-	-	▪	▪	▪	▪
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	▪	***0.2***	***1.2***	***6.8***	***14.1***	***21.2***	***24.8***	***6.5***	***2.9***	***0.7***	***78.4***
	1-2	-	-	-	-	0.1	0.2	0.3	1.2	3.7	3.0	1.4	0.3	0.1	*	10.2
	3	-	-	-	-	*	0.2	0.4	0.7	1.4	1.4	1.3	1.1	0.6	0.1	7.3
31	4	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.2	0.1	1.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	***0.1***	***0.5***	***0.8***	***2.0***	***5.2***	***4.5***	***2.9***	***1.9***	***0.9***	***0.2***	***19.0***
	1-2	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	3	-	-	-	-	-	*	0.1	0.1	0.3	0.2	0.1	0.1	*	-	0.8
41	4	-	-	-	-	*	*	0.1	0.1	*	*	0.1	0.1	*	-	0.4
	5	-	-	-	-	-	-	*	*	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	***0.2***	***0.2***	***0.4***	***0.3***	***0.2***	***0.2***	*	-	***1.4***
	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	*	*	*	*	*	0.1	*	-	-	0.2
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.1
12 & 22	4	-	-	-	-	-	-	-	*	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	***0.1***	***0.1***	*	*	***0.4***
	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	*	0.1	0.1	-	-	0.3
32	4	-	-	-	-	-	-	*	*	*	-	*	0.1	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	***0.1***	*	***0.1***	***0.2***	-	-	***0.5***
	1-2	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.2
42	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	***0.1***	*	*	*	*	-	***0.3***
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*

▪ Less than 0.05 percent.

Table 13. -- ***New Mexico***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
13 & 23	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	*	*	-	-	*
33	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	-	-	-	-	*	*	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	***0.2***	***0.7***	***2.2***	***9.1***	***19.9***	***26.1***	***28.2***	***8.9***	***3.8***	***0.9***	***100.0***

EXTRANEOUS MATTER	
Bark - Level 1	0.1
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Other - Level 1	*
Other - Level 1	-

Average Staple	***36.1***
Percent Tenderable	***89.0***

40,180 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- ***North Carolina***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	▪	▪	▪	*	*	*	-	-	-	0.1
	3	-	-	-	-	▪	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	-	▪	*	▪	*	*	*	-	-	-	▪
	5	-	-	-	-	-	▪	▪	▪	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	***0.1***	***0.2***	***0.2***	***0.1***	*	*	-	-	***0.7***
31	1-2	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	-	-	0.8
	3	-	-	-	*	*	0.7	4.9	12.2	13.2	5.3	0.5	*	*	-	36.7
	4	-	-	-	*	*	0.1	0.8	3.3	4.1	2.0	0.3	*	*	-	10.5
	5	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
TOTAL---		-	-	-	*	*	***0.8***	***6.0***	***15.9***	***17.7***	***7.4***	***0.8***	*	*	-	***48.4***
41	1-2	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.5	4.3	11.1	10.6	3.5	0.3	*	-	-	30.3
	4	-	-	-	*	*	0.1	1.3	5.3	6.6	3.0	0.4	*	*	-	16.6
	5	-	-	-	-	-	*	0.1	0.4	0.5	0.2	*	*	-	-	1.3
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL---		-	-	-	*	*	***0.6***	***5.8***	***16.9***	***17.9***	***6.8***	***0.8***	*	*	-	***48.7***
51	1-2	-	-	-	-	-	*	*	*	▪	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	▪	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	*	0.1	▪	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	▪	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	▪	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	▪	*	*	*	-	-	*
TOTAL---		-	-	-	*	*	*	***0.1***	***0.2***	***0.1***	*	*	*	-	-	***0.4***
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	*	*	*	***0.1***	***0.2***	***0.2***	***0.1***	*	*	-	-	***0.5***
42	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	-	*	*	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL---		-	-	-	*	*	*	***0.1***	***0.4***	***0.3***	***0.1***	*	*	-	-	***0.9***
52	1-2	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

▪ Less than 0.05 percent.

Table 14. – ***North Carolina***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	-	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	***0.1***
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	***0.1***
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
All Colors	B 2/	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL, ALL---		-	-	-	*	*	***1.5***	***12.2***	***33.8***	***36.5***	***14.5***	***1.5***	*	*	-	***100.0***

Average Staple	***34.5***
Percent Tenderable	***89.5***

EXTRANEOUS MATTER	
Bark - Level 1	1.3
Bark - Level 2	-
Grass - Level 1	0.8
Grass - Level 2	-
Prep - Level 1	0.9
Prep - Level 2	-
Other - Level 1	*
Other - Level 1	-

984,854 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- ***Oklahoma:*** Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	*	▪	0.1	0.3	1.2	3.3	8.7	14.5	15.3	7.9	0.4	▪	-	51.6
	3	*	▪	▪	0.1	0.2	0.6	1.5	3.3	4.1	3.1	1.6	0.1	▪	-	14.7
11 & 21	4	-	▪	▪	*	0.1	0.1	0.2	0.3	0.3	0.2	*	*	-	-	1.2
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
TOTAL---		*	▪	▪	***0.2***	***0.6***	***1.9***	***5.0***	***12.2***	***18.9***	***18.6***	***9.5***	***0.5***	*	-	***67.5***
	1-2	-	*	*	*	0.2	0.5	0.8	1.3	1.8	1.8	1.0	0.1	*	-	7.5
	3	-	*	*	0.1	0.4	1.1	1.9	2.4	2.3	2.0	1.4	0.1	-	-	11.6
31	4	-	-	*	0.1	0.3	0.6	1.0	1.0	0.6	0.4	0.2	*	*	-	4.1
	5	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	-	0.9
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	7	-	-	-	*	*	*	*	-	*	-	-	-	-	-	*
TOTAL---		-	*	*	***0.2***	***1.0***	***2.5***	***3.9***	***4.9***	***4.8***	***4.2***	***2.5***	***0.2***	*	-	***24.3***
	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	-	0.4
	3	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	-	-	0.6
41	4	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	5	-	*	*	*	0.1	0.1	0.2	0.2	*	*	-	-	-	-	0.7
	6	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
TOTAL---		-	*	*	*	***0.2***	***0.4***	***0.7***	***0.7***	***0.3***	***0.1***	***0.1***	*	-	-	***2.6***
	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	*	-	-	-	*	*	*	*	*	-	-	-	*
51	4	-	-	-	-	-	-	*	*	*	*	-	-	*	*	*
	5	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
TOTAL---		-	-	*	*	*	*	*	*	*	*	*	-	-	-	***0.1***
	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
61	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL---		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	*	*	*	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.7
	3	*	*	*	*	*	0.1	0.2	0.4	0.3	0.2	*	*	-	-	1.3
12 & 22	4	-	-	*	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		*	*	*	*	***0.1***	***0.1***	***0.3***	***0.8***	***0.6***	***0.3***	*	*	-	-	***2.3***
	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	3	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	-	-	1.0
32	4	-	-	-	*	0.1	0.1	0.1	0.2	0.1	0.1	*	-	-	-	0.7
	5	-	-	*	*	*	*	*	0.1	*	*	-	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	-	*	-	-	-	-	-	*
TOTAL---		-	-	*	*	***0.1***	***0.2***	***0.5***	***0.6***	***0.4***	***0.2***	*	*	-	-	***2.1***
	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
42	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	*	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	-	*	*	-	*	*	-	-	-	-	-	*
TOTAL---		-	*	*	*	*	***0.1***	***0.1***	***0.1***	***0.1***	*	*	*	-	-	***0.5***
	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
52	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

▪ Less than 0.05 percent.

Table 15. – ***Oklahoma***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
13 & 23	4	-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	*	*	*	*	*0.1*	*	*	-	-	-	*0.2*
	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
33	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	*	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	*	*	*0.1*	*0.1*	*0.1*	*	*	-	-	-	*0.3*
	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
43	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL---		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*0.1*
	1-2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
53	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	4	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
TOTAL, ALL---		*	*	*0.1*	*0.5*	*2.1*	*5.2*	*10.6*	*19.6*	*25.3*	*23.6*	*12.2*	*0.7*	*	-	*100.0*
EXTRANEOUS MATTER														Average Staple		*34.8*
														Percent Tenderable		*64.4*
Bark - Level 1		2.5														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

178,406 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- ***South Carolina***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	-	*	*	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	-	*	***0.1***	***0.1***	***0.1***	*	*	*	-	-	***0.4***
31	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.6
	3	-	-	-	-	*	0.4	2.9	7.9	8.0	2.3	0.2	*	*	-	21.7
	4	-	-	-	-	-	*	0.6	2.3	3.3	1.5	0.2	*	-	*	8.1
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.4***	***3.6***	***10.6***	***11.8***	***3.9***	***0.4***	*	*	*	***30.9***
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	-	*	*	0.9	5.6	14.0	11.5	3.1	0.3	*	*	-	35.3
	4	-	-	-	-	*	0.3	2.3	8.7	10.8	4.1	0.7	0.1	*	-	26.9
	5	-	-	-	-	*	*	0.1	0.6	1.0	0.5	0.1	*	*	-	2.3
	6	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	*	*	***1.2***	***8.1***	***23.6***	***23.6***	***7.7***	***1.0***	***0.1***	*	-	***65.4***
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	*	-	0.7
	4	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	-	-	1.0
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.1***	***0.4***	***0.9***	***0.6***	***0.1***	*	*	*	-	***2.1***
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	-	-	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	***0.1***	***0.1***	*	*	*	-	-	***0.2***
42	1-2	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	***0.1***	***0.2***	***0.2***	***0.1***	*	*	-	-	***0.7***
52	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	***0.1***	*	*	*	-	-	-	***0.2***

* Less than 0.05 percent.

Table 16. -- ***South Carolina***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	*	***1.7***	***12.5***	***35.6***	***36.4***	***11.9***	***1.5***	***0.2***	*	*	***100.0***

EXTRANEOUS MATTER	
Bark - Level 1	1.4
Bark - Level 2	-
Grass - Level 1	0.6
Grass - Level 2	*
Prep - Level 1	1.1
Prep - Level 2	-
Other - Level 1	*
Other - Level 1	-

Average Staple ***34.5***
Percent Tenderable ***89.2***

293,928 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. – ***Tennessee***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	▪	0.2	0.9	0.6	0.2	*	▪	-	-	-	1.9
	3	-	-	-	-	-	0.3	2.6	4.0	1.8	0.6	0.1	▪	-	-	9.3
11 & 21	4	-	-	-	-	-	*	▪	0.2	0.1	0.1	▪	*	-	-	0.4
	5	-	-	-	-	-	*	▪	▪	▪	▪	-	-	-	-	▪
	6	-	-	-	-	-	-	-	▪	-	-	-	-	-	-	▪
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	▪	***0.4***	***3.5***	***4.8***	***2.1***	***0.7***	***0.1***	▪	-	-	***11.7***
	1-2	-	-	-	-	*	0.3	1.5	1.0	0.3	0.1	*	-	-	-	3.1
	3	-	-	-	-	*	1.3	12.5	22.4	13.3	4.4	0.7	*	-	-	54.6
31	4	-	-	-	-	-	0.1	1.2	4.4	4.5	1.8	0.4	*	-	-	12.3
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	***1.7***	***15.2***	***27.9***	***18.3***	***6.4***	***1.0***	*	-	-	***70.5***
	1-2	-	-	-	-	-	*	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.4	2.2	3.4	1.8	0.6	0.1	*	-	-	8.5
41	4	-	-	-	-	*	0.1	0.7	1.7	1.7	0.8	0.2	*	-	-	5.2
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.5***	***3.0***	***5.3***	***3.7***	***1.5***	***0.3***	*	-	-	***14.4***
	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
51	4	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	***0.1***	***0.3***	***0.3***	***0.1***	*	*	-	-	-	***0.9***
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
61	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
12 & 22	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	***0.1***
	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.2	0.3	0.2	0.1	*	-	-	-	0.8
32	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	***0.2***	***0.4***	***0.3***	***0.1***	*	-	-	-	***1.2***
	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	-	0.4
42	4	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	***0.2***	***0.3***	***0.2***	***0.1***	*	*	-	-	***0.9***
	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
52	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	***0.1***

▪ Less than 0.05 percent.

Table 17. -- ***Tennessee***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY COLOR	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	-	-	***0.1***
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	***0.1***
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
TOTAL, ALL---		-	-	-	-	*	***2.8***	***22.6***	***39.3***	***24.9***	***8.9***	***1.5***	*	-	-	***100.0***

EXTRANEOUS MATTER			
		Average Staple	***34.2***
		Percent Tenderable	***66.5***
Bark - Level 1	0.9		
Bark - Level 2	-		
Grass - Level 1	0.1		
Grass - Level 2	-		
Prep - Level 1	0.1		
Prep - Level 2	-		
Other - Level 1	*		
Other - Level 1	-		

842,123 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- ***Texas***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	0.1	0.3	1.2	2.7	4.8	6.5	6.3	4.2	1.6	0.1	*	-	27.8
	3	*	*	*	0.2	0.6	1.6	2.8	4.0	4.1	3.3	2.4	0.3	*	*	19.4
	4	-	*	*	*	0.1	0.2	0.2	0.4	0.4	0.3	0.2	*	*	*	1.8
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		*	*	***0.1***	***0.5***	***1.9***	***4.5***	***7.9***	***10.9***	***10.8***	***7.8***	***4.3***	***0.4***	*	*	***49.1***
31	1-2	*	*	*	0.1	0.3	0.7	1.2	1.4	1.2	0.6	0.2	*	*	-	5.8
	3	*	*	*	0.2	0.7	1.7	2.9	3.9	3.7	3.0	2.3	0.4	*	*	18.6
	4	-	*	*	0.1	0.2	0.6	0.9	1.1	1.1	1.0	1.1	0.3	*	*	6.3
	5	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL---		*	*	***0.1***	***0.3***	***1.3***	***3.0***	***5.1***	***6.5***	***6.1***	***4.7***	***3.7***	***0.7***	*	*	***31.4***
41	1-2	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	3	-	*	*	*	0.1	0.3	0.6	0.8	0.7	0.6	0.5	0.1	*	*	3.9
	4	-	*	*	*	*	0.2	0.3	0.5	0.7	0.7	0.7	0.2	*	*	3.4
	5	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL---		-	*	*	*	***0.2***	***0.6***	***1.1***	***1.5***	***1.6***	***1.5***	***1.5***	***0.3***	*	*	***8.4***
51	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL---		-	-	*	*	*	*	***0.1***	***0.1***	***0.2***	***0.1***	***0.1***	*	*	-	***0.7***
61	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	-	*	-	*	*	-	-	-	*
TOTAL---		-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	*	-	1.1
	3	-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.2	0.1	*	*	-	1.4
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		*	*	*	***0.1***	***0.2***	***0.4***	***0.6***	***0.5***	***0.4***	***0.3***	***0.2***	*	*	-	***2.8***
32	1-2	*	*	*	*	*	0.1	0.1	*	*	*	*	*	-	-	0.3
	3	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.2	0.2	*	*	-	1.6
	4	-	*	*	*	0.1	0.1	0.2	0.1	0.2	0.1	0.2	*	*	*	1.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
TOTAL---		*	*	*	***0.1***	***0.3***	***0.4***	***0.5***	***0.5***	***0.4***	***0.3***	***0.4***	***0.1***	*	*	***3.0***
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	0.1	*	*	-	0.9
	4	-	-	*	*	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	*	*	1.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL---		-	*	*	*	***0.1***	***0.3***	***0.4***	***0.4***	***0.4***	***0.3***	***0.4***	***0.1***	*	*	***2.5***
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	0.1	*	*	-	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
TOTAL---		-	-	*	*	*	*	***0.1***	***0.1***	***0.1***	***0.1***	***0.1***	*	*	-	***0.5***

* Less than 0.05 percent.

Table 18. – ***Texas***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL---		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	*	*	*	*	*	*	*	*	*	*	*	*	-	***0.2***
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	-	*	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
TOTAL---		*	*	*	*	*	*	***0.1***	***0.1***	***0.1***	***0.1***	*	*	*	-	***0.4***
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	-	*	*	-	*	-	-	*
TOTAL---		-	-	*	*	*	*	*	***0.1***	***0.1***	***0.1***	***0.1***	*	*	*	***0.5***
53	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	-	*	*	*	-	-	*
TOTAL---		-	-	*	*	*	*	*	*	*	*	*	*	*	-	***0.2***
63	1-2	-	-	-	-	-	*	-	*	-	*	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL, ALL-----		*	*	***0.2***	***1.1***	***4.0***	***9.4***	***16.0***	***20.8***	***20.3***	***15.5***	***10.9***	***1.7***	***0.1***	*	***100.0***

EXTRANEOUS MATTER			
		Average Staple	***34.4***
		Percent Tenderable	***62.4***
Bark - Level 1	3.9		
Bark - Level 2	*		
Grass - Level 1	1.5		
Grass - Level 2	*		
Prep - Level 1	0.4		
Prep - Level 2	*		
Other - Level 1	*		
Other - Level 1	*		

3,844,166 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- ***Virginia***: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY / COLOR	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.2	*	*	-	-	0.5
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	***0.1***	***0.2***	***0.2***	***0.1***	*	-	-	***0.5***
31	1-2	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	0.1	1.6	7.2	11.2	13.8	4.6	0.1	*	-	38.6
	4	-	-	-	-	-	*	0.4	3.2	5.9	5.0	2.0	*	-	-	16.6
	5	-	-	-	-	-	-	*	0.2	0.4	0.2	0.1	*	-	-	0.8
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	***0.1***	***2.1***	***10.6***	***17.5***	***19.0***	***6.7***	***0.2***	*	-	***56.2***
41	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	0.8	4.3	7.9	8.1	2.8	0.1	-	-	24.0
	4	-	-	-	-	*	*	0.5	3.2	6.4	4.8	1.8	*	-	-	16.7
	5	-	-	-	-	-	-	*	0.3	0.7	0.3	0.1	*	-	-	1.4
	6	-	-	-	-	-	-	*	*	0.1	*	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	***0.1***	***1.4***	***7.9***	***15.0***	***13.2***	***4.7***	***0.1***	-	-	***42.4***
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	***0.3***
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	0.1	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	***0.4***
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*

* Less than 0.05 percent.

Table 19. – **Virginia**: Percent distribution of color, leaf and staple for upland cotton classed: January 1, 2004

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
13 & 23	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
33	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
43	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*0.1*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
53	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	*	0.1	3.5	18.8	33.1	32.6	11.5	0.3	*	-	*100.0*

EXTRANEOUS MATTER			
		Average Staple	*35.3*
		Percent Tenderable	*89.8*
Bark - Level 1	0.9		
Bark - Level 2	-		
Grass - Level 1	0.6		
Grass - Level 2	-		
Prep - Level 1	0.9		
Prep - Level 2	-		
Other - Level 1	-		
Other - Level 1	-		

103,588 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through January 1, 2004

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	*	*	*	*	-	*	1.0	-	*
25	*	*	*	*	-	*	0.9	-	*
26	*	*	*	*	*	*	1.5	*	*
27	0.1	*	*	*	*	*	1.7	*	*
28	0.1	*	*	0.1	*	*	1.8	*	*
29	0.2	*	*	0.1	*	*	2.3	*	*
30	0.3	*	0.1	0.2	*	*	2.8	*	0.1
31	0.3	0.1	0.1	0.4	0.1	0.1	3.5	*	0.1
32	0.4	0.1	0.1	0.7	0.2	0.1	4.2	*	0.1
33	0.6	0.1	0.2	1.3	0.5	0.2	4.4	*	0.2
34	0.7	0.2	0.3	2.1	0.7	0.3	4.6	*	0.2
35	1.1	0.3	0.5	3.0	0.9	0.6	4.9	0.1	0.4
36	1.6	0.4	0.8	4.3	1.3	0.8	5.0	0.2	0.5
37	2.5	0.5	1.1	5.9	1.7	1.4	4.5	0.3	0.7
38	3.5	0.8	1.6	7.4	2.6	2.2	4.1	0.4	0.9
39	4.8	1.1	2.1	9.0	3.9	3.4	3.8	0.5	1.3
40	6.5	1.7	2.8	10.1	5.2	5.3	3.9	0.8	1.8
41	8.0	2.4	3.5	10.1	7.1	7.9	4.0	1.2	2.5
42	9.5	3.2	4.4	9.5	8.5	11.0	4.3	1.8	3.4
43	10.6	4.5	5.7	8.6	9.2	14.0	4.5	2.8	4.5
44	11.2	5.5	7.2	7.3	9.8	15.2	5.5	4.4	6.0
45	10.7	6.9	8.4	5.8	10.3	13.7	5.9	7.0	7.6
46	9.6	8.6	9.7	4.5	11.4	10.3	5.3	10.9	9.8
47	7.5	9.8	10.6	3.3	10.1	6.7	4.9	14.9	11.9
48	5.1	10.9	10.7	2.4	7.1	3.8	4.4	16.4	12.7
49	3.0	10.8	9.8	1.7	4.5	1.9	3.2	14.7	11.6
50	1.2	10.1	7.8	0.9	2.6	0.7	1.8	10.8	9.0
51	0.6	8.4	5.7	0.7	1.5	0.3	0.7	6.6	6.5
52	0.2	6.0	3.6	0.4	0.6	0.1	0.4	3.5	4.3
53	*	3.8	1.8	0.2	0.1	*	0.3	1.7	2.2
54	*	2.2	0.8	0.1	*	*	0.1	0.7	1.1
55	*	1.1	0.3	*	*	*	*	0.4	0.4
56	-	0.4	0.1	*	-	*	-	0.1	0.1
57	-	0.1	*	-	-	-	*	*	*
58	-	*	*	-	-	*	-	*	*
59	-	-	*	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	***43***	***47***	***46***	***41***	***44***	***43***	***39***	***48***	***47***
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	*	-	-	-
21	-	*	*	*	-	*	*	*	*
22	*	*	*	*	*	*	*	*	*
23	0.1	0.1	0.1	*	0.1	0.1	0.1	0.1	0.1
24	0.7	0.7	0.5	*	0.6	1.0	0.8	0.5	0.7
25	2.9	2.3	2.7	0.2	3.8	3.9	3.6	2.2	3.2
26	9.7	6.1	8.8	0.3	11.6	11.1	10.4	7.6	9.2
27	21.4	12.2	20.0	0.8	25.2	23.2	18.8	18.3	18.6
28	26.7	17.5	29.4	1.7	30.2	28.2	22.2	26.6	26.3
29	19.8	20.5	22.7	3.0	18.2	18.8	18.1	21.8	22.1
30	11.3	18.3	9.8	5.9	7.6	9.0	14.0	11.5	11.7
31	5.1	12.1	3.6	13.0	2.1	3.4	8.5	5.2	5.1
32	1.8	6.1	1.4	19.1	0.5	1.1	2.9	2.9	2.0
33	0.5	2.6	0.5	23.5	0.1	0.3	0.4	1.9	0.7
34	0.1	1.0	0.3	19.5	*	0.1	0.1	1.0	0.3
35	*	0.4	0.1	9.1	*	*	*	0.3	0.1
36 & above	*	0.1	0.1	3.9	-	-	-	0.1	*
Average strength	***28.1***	***29.0***	***28.2***	***32.6***	***27.8***	***27.9***	***28.3***	***28.5***	***28.2***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. – Percentage distribution of mike and fiber strength for upland cotton classed through January 1, 2004

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	*	*	*	0.2	*	*	*	*	*
25	*	*	*	0.3	*	*	*	*	*
26	*	*	*	0.3	*	*	0.1	*	*
27	*	*	*	0.4	0.1	0.1	0.1	*	0.1
28	0.1	*	*	0.4	0.1	0.2	0.2	0.1	0.1
29	0.1	0.1	0.1	0.4	0.1	0.2	0.3	0.1	0.1
30	0.1	0.1	0.1	0.5	0.3	0.3	0.4	0.3	0.2
31	0.2	0.2	0.2	0.5	0.4	0.3	0.6	0.5	0.3
32	0.3	0.4	0.3	0.6	0.5	0.4	0.8	0.9	0.4
33	0.5	0.9	0.6	0.6	0.8	0.5	1.0	1.4	0.6
34	0.6	1.2	0.9	0.7	1.3	0.6	1.2	2.1	0.8
35	0.9	1.8	1.5	0.9	2.1	0.9	1.5	3.3	1.1
36	1.4	2.3	2.5	1.1	3.1	1.1	1.9	5.0	1.5
37	1.9	2.9	3.9	1.3	4.2	1.3	2.3	7.0	2.1
38	2.6	4.3	5.9	1.5	5.9	1.7	2.8	9.3	2.8
39	3.7	5.4	8.3	2.0	8.1	2.2	3.4	11.1	3.6
40	4.8	7.0	10.8	2.6	10.4	2.9	4.0	11.2	4.6
41	6.0	8.2	12.9	3.6	12.1	3.5	4.7	11.2	5.7
42	7.3	10.2	13.4	4.8	13.3	4.3	5.7	10.8	6.7
43	8.4	10.4	12.3	6.0	12.7	5.2	6.6	9.5	7.7
44	9.0	8.7	9.9	7.2	10.3	6.2	7.3	7.0	8.2
45	9.4	8.3	7.0	8.1	6.9	7.1	7.8	4.5	8.4
46	9.2	7.8	4.6	8.7	3.8	8.0	8.1	2.6	8.5
47	8.7	6.5	2.6	8.5	1.9	8.6	8.3	1.3	8.3
48	7.3	4.9	1.3	7.9	0.9	9.1	8.0	0.5	7.8
49	6.0	3.9	0.6	8.0	0.4	8.8	7.2	0.2	6.8
50	4.5	2.3	0.2	6.8	0.1	8.1	5.8	*	5.2
51	3.1	1.2	0.1	5.2	*	7.1	4.2	*	3.7
52	2.0	0.4	*	3.8	*	5.5	2.8	-	2.4
53	1.1	0.3	*	2.9	*	3.4	1.6	*	1.3
54	0.5	0.1	*	2.2	*	1.6	0.8	-	0.7
55	0.2	0.1	*	1.4	*	0.6	0.4	-	0.3
56	0.1	-	*	0.5	*	0.1	0.1	-	0.1
57	*	-	-	0.2	-	*	*	-	*
58	*	-	-	*	-	*	*	-	*
59	-	-	-	-	-	-	*	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	***44***	***43***	***42***	***46***	***41***	***46***	***45***	***40***	***46***
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	*	-	*
18	-	-	-	-	-	-	*	-	*
19	-	-	-	*	-	-	*	-	*
20	-	-	*	*	-	-	*	-	*
21	*	*	*	*	*	*	*	*	*
22	*	0.1	*	0.1	*	*	*	*	*
23	0.1	0.4	0.1	0.2	0.1	0.2	0.2	0.1	0.1
24	0.4	1.1	1.2	0.5	0.9	1.0	0.8	0.8	0.7
25	2.2	2.0	5.7	1.6	3.5	4.6	2.3	3.7	2.8
26	7.2	3.3	14.8	4.6	9.3	15.1	4.9	10.0	8.0
27	15.3	8.3	24.2	11.7	19.5	28.3	10.1	20.2	16.5
28	23.9	16.6	23.7	18.9	26.1	25.9	16.5	25.3	22.0
29	24.1	21.3	15.8	20.7	21.2	14.4	19.1	19.3	18.6
30	15.3	17.7	8.2	17.3	11.0	6.3	16.5	10.3	11.7
31	7.7	12.2	3.9	11.9	5.3	2.7	12.5	5.4	7.3
32	2.8	9.4	1.7	7.2	2.3	1.1	9.2	2.8	5.1
33	0.7	4.8	0.6	3.7	0.6	0.3	5.4	1.4	3.7
34	0.2	2.1	0.1	1.3	0.2	0.1	2.0	0.4	2.3
35	*	0.6	*	0.3	*	*	0.5	0.1	0.9
36 & above	*	0.1	*	0.1	*	*	0.1	*	0.4
Average strength	***28.6***	***29.4***	***27.8***	***29.2***	***28.2***	***27.6***	***29.4***	***28.2***	***28.8***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through January 1, 2004

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-
75	-	*	-	*	-	-	*	-	-
76	*	*	*	*	*	*	*	-	-
77	0.1	0.4	*	*	0.1	0.2	0.2	*	*
78	1.0	2.5	0.1	0.2	1.0	2.5	3.9	1.0	0.2
79	5.3	10.7	1.0	1.3	7.4	12.9	18.5	9.3	2.4
80	17.4	29.8	6.8	5.8	30.4	34.4	38.0	26.1	12.3
81	32.0	36.3	25.6	23.4	40.2	34.1	30.3	31.2	27.8
82	31.2	16.7	47.7	43.6	18.1	13.6	7.9	23.2	37.3
83	11.9	3.3	17.2	20.4	2.6	2.3	1.1	8.1	17.6
84	1.2	0.3	1.6	3.8	0.1	0.1	0.1	0.9	2.3
85	*	*	*	1.0	*	*	-	*	*
86	-	-	-	0.4	-	-	-	*	-
87	-	-	-	*	-	-	-	-	-
88	-	-	-	*	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	***81.3***	***80.6***	***81.8***	***81.9***	***80.8***	***80.5***	***80.2***	***80.9***	***81.6***
TRASH 2/									
0.0	-	*	*	*	*	*	*	-	*
0.1	0.1	22.7	0.3	25.7	0.2	0.3	0.5	0.6	0.5
0.2	3.6	44.1	7.5	42.9	4.9	6.0	5.6	8.9	6.9
0.3	14.2	21.5	23.4	19.8	19.8	19.1	13.1	24.2	20.3
0.4	23.0	6.5	26.2	6.5	30.8	29.6	13.8	24.0	22.8
0.5	21.4	2.3	18.5	2.5	22.8	21.2	16.2	17.1	17.5
0.6	15.2	1.3	12.8	1.4	11.9	11.7	13.5	12.4	14.5
0.7	9.6	0.5	5.7	0.5	5.5	6.2	11.0	5.8	7.3
0.8	5.6	0.4	2.9	0.3	2.4	3.3	6.8	3.5	4.7
0.9	3.1	0.3	1.4	0.2	1.0	1.5	5.4	1.9	2.8
1.0	1.8	0.2	0.7	0.1	0.4	0.7	3.9	0.9	1.4
1.1	0.8	0.1	0.2	*	0.1	0.2	2.6	0.4	0.6
1.2	0.5	0.1	0.1	*	0.1	0.2	1.9	0.2	0.3
1.3	0.4	*	0.1	*	*	0.1	1.2	0.2	0.2
1.4	0.2	*	*	*	*	*	1.3	0.1	*
1.5	0.1	*	*	*	*	*	1.0	*	*
1.6	0.1	*	*	*	*	*	0.4	*	*
1.7	*	*	*	*	*	*	0.3	*	*
1.8 & above	0.1	*	*	*	*	*	1.4	*	*
Average trash	***0.53***	***0.24***	***0.45***	***0.23***	***0.45***	***0.46***	***0.63***	***0.45***	***0.48***

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through January 1, 2004

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	*	-	*
74	-	-	-	-	-	-	*	-	*
75	-	-	-	*	-	-	*	-	*
76	-	*	*	0.2	*	-	*	-	*
77	*	0.1	*	0.7	*	*	0.3	*	0.1
78	*	1.0	0.5	2.6	1.0	0.1	1.9	*	1.1
79	0.4	6.3	4.0	9.5	7.0	1.2	8.3	0.7	5.7
80	3.1	25.2	15.1	23.1	23.9	6.8	21.8	5.1	17.6
81	20.7	34.6	32.7	33.3	36.4	25.4	32.5	20.1	29.9
82	49.9	24.0	34.0	22.9	24.5	43.6	25.1	39.0	31.6
83	22.8	7.8	12.3	6.9	6.6	20.4	9.0	28.9	12.3
84	3.0	1.1	1.3	0.7	0.6	2.4	1.2	5.9	1.6
85	0.1	*	*	*	*	*	*	0.1	0.1
86	-	-	-	-	-	-	*	-	*
87	-	-	-	-	-	-	-	-	*
88	-	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	***82.0***	***81.0***	***81.4***	***80.9***	***81.0***	***81.8***	***81.0***	***82.1***	***81.3***
TRASH 2/									
0.0	-	*	-	0.2	*	*	*	-	*
0.1	0.7	42.1	0.1	34.6	0.1	1.5	16.8	*	7.4
0.2	10.7	34.5	4.1	35.8	3.2	16.7	32.0	1.7	17.3
0.3	26.4	14.8	19.4	15.5	14.9	29.7	22.8	13.6	21.5
0.4	27.0	5.1	26.2	5.8	22.5	23.5	11.9	25.2	20.0
0.5	17.4	1.9	21.3	3.5	21.0	13.5	6.6	24.1	14.0
0.6	10.0	1.0	14.4	1.9	16.7	7.8	4.2	17.7	9.4
0.7	4.3	0.3	6.9	1.1	9.5	3.6	2.2	8.7	4.7
0.8	1.9	0.1	3.5	0.6	5.6	1.8	1.3	4.5	2.7
0.9	0.8	0.1	1.8	0.4	3.1	0.9	0.8	2.3	1.4
1.0	0.4	*	0.9	0.2	1.6	0.5	0.5	1.2	0.7
1.1	0.1	*	0.4	0.1	0.7	0.2	0.3	0.5	0.3
1.2	*	*	0.3	0.1	0.4	0.1	0.2	0.3	0.2
1.3	*	*	0.2	0.1	0.3	*	0.1	0.1	0.1
1.4	*	-	0.1	*	0.2	*	0.1	*	0.1
1.5	*	-	0.1	*	0.1	*	0.1	*	*
1.6	*	-	*	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	0.1	*	*	*	0.1	*	*
Average trash	***0.42***	***0.20***	***0.48***	***0.23***	***0.52***	***0.39***	***0.30***	***0.51***	***0.40***

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of **American Pima** cotton classed for producers by State and United States through January 1, 2004

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	17.7	28.8	24.6	43.7	25.9
	2	21.0	7.6	15.6	9.6	7.3
	3	0.8	0.1	0.1	0.0	0.2
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total		**39.5**	***36.5***	***40.2***	***53.3***	***38.2***
02	1	5.1	40.9	10.9	22.4	35.9
	2	40.9	13.5	40.0	22.1	13.4
	3	9.8	2.8	5.6	1.2	2.8
	4	0.4	0.8	0.2	0.0	0.8
	5	0.0	0.2	0.0	0.0	0.3
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total		**56.3**	***58.2***	***56.7***	***45.8***	***57.0***
03	1	0.0	0.7	0.0	0.0	0.7
	2	1.7	2.0	0.9	0.4	1.9
	3	1.0	0.9	1.6	0.5	0.9
	4	0.2	0.5	0.2	0.0	0.5
	5	0.1	0.2	0.0	0.0	0.3
	6	0.0	0.1	0.0	0.0	0.2
	7	0.0	0.0	0.0	0.0	0.1
Total		**2.9**	***4.4***	***2.8***	***0.9***	***4.0***
04	1	0.0	0.0	0.0	0.0	0.1
	2	0.3	0.2	0.1	0.0	0.3
	3	0.0	0.2	0.0	0.0	0.3
	4	0.2	0.2	0.0	0.0	0.3
	5	0.2	0.1	0.0	0.0	0.2
	6	0.0	0.1	0.0	0.0	0.2
	7	0.0	0.0	0.0	0.0	0.1
Total		**0.8**	***0.8***	***0.2***	***0.0***	***0.7***
05	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.1	0.0	0.0	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.1	0.0	0.0	0.0	0.1
	6	0.3	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total		**0.6**	***0.2***	***0.0***	***0.0***	***0.2***
06	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.0	0.0	0.0	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total		**0.0**	***0.0***	***0.0***	***0.0***	-
07	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.0	0.0	0.0	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total		**0.0**	***0.0***	***0.0***	***0.0***	-
STAPLE						
40 & shorter		0.0	0.0	0.0	0.0	0.1
42		0.1	0.0	0.1	0.0	0.1
44		16.7	2.6	3.9	13.7	2.7
46		52.6	44.0	44.5	65.4	40.1
48 & longer		30.7	53.3	51.6	21.0	48.1
Average		***46.3***	***47.0***	***47.0***	***46.2***	***46.9***
UNIFORMITY						
72 & below		0.0	0.0	0.0	0.0	0.1
73		0.0	0.0	0.0	0.0	0.1
74		0.0	0.0	0.0	0.0	0.1
75		0.0	0.0	0.0	0.0	0.1
76		0.0	0.0	0.0	0.0	0.1
77		0.0	0.0	0.0	0.0	0.1
78		0.0	0.0	0.0	0.0	0.1
79		0.0	0.0	0.0	0.0	0.1
80		0.0	0.0	0.1	0.0	0.1
81		0.1	0.1	0.0	0.0	0.2
82		2.8	0.7	0.7	0.6	0.7
83		14.6	4.7	5.1	4.3	4.5
84		27.7	20.1	17.4	17.5	18.3
85		27.9	40.9	33.5	36.3	36.8
86		18.6	27.1	30.6	29.4	24.6
87		7.3	6.2	10.9	9.7	5.9
88		0.8	0.2	1.7	1.9	0.3
89		0.0	0.0	0.1	0.2	0.1
90 & above		0.0	0.0	0.0	0.0	0.1
Average		***84.7***	***85.1***	***85.3***	***85.3***	***85.1***
BALES CLASSED		***3,446***	***294,959***	***10,126***	***32,389***	***340,920***

* Less than 0.05 percent.

Table 22. – Quality of **American Pima** cotton classed for producers by State and United States through January 1, 2004

Quality Designation	Arizona	California	New *Mexico*	Texas	United States
MIKE					
24 & below	0.0	0.0	0.0	0.0	-
25 - 26	0.0	0.0	0.0	0.0	*
27 - 29	0.1	0.2	0.0	0.0	0.1
30 - 32	1.5	1.8	0.2	0.1	1.6
33 - 34	0.7	3.2	0.6	0.3	2.8
35 - 36	2.1	5.4	1.4	1.1	4.8
37 - 42	76.3	66.6	52.2	18.9	61.7
43 - 49	19.3	22.9	45.6	79.2	28.9
50 - 52	0.0	0.0	0.0	0.4	*
53 & above	0.0	0.0	0.0	0.0	-
Average	***40***	***40***	***42***	***44***	***41***
ALL MIKE					
24 & below	0.0	0.0	0.0	0.0	0.1
25	0.0	0.0	0.0	0.0	0.1
26	0.0	0.0	0.0	0.0	0.1
27	0.0	0.0	0.0	0.0	0.1
28	0.0	0.0	0.0	0.0	0.1
29	0.1	0.1	0.0	0.0	0.2
30	0.4	0.3	0.0	0.0	0.4
31	0.6	0.6	0.1	0.1	0.6
32	0.6	0.9	0.1	0.0	0.9
33	0.4	1.4	0.1	0.1	1.3
34	0.3	1.8	0.4	0.2	1.7
35	0.6	2.4	0.4	0.4	2.2
36	1.5	3.0	1.0	0.7	2.7
37	4.2	4.9	2.7	1.0	4.5
38	9.4	7.1	4.4	1.1	6.5
39	14.1	10.4	6.4	2.0	9.4
40	18.1	13.7	10.0	3.0	12.4
41	16.0	15.7	13.3	4.6	14.2
42	14.4	14.8	15.4	7.1	13.5
43	12.1	11.2	16.2	10.4	10.4
44	5.5	7.0	14.0	15.2	6.6
45	1.4	3.2	7.9	16.3	3.1
46	0.3	1.1	4.7	17.0	1.2
47	0.0	0.3	2.0	12.4	0.4
48	0.0	0.0	0.8	5.7	0.1
49	0.0	0.0	0.2	2.2	0.1
50	0.0	0.0	0.0	0.4	0.1
51	0.0	0.0	0.0	0.0	0.1
52	0.0	0.0	0.0	0.0	0.1
53	0.0	0.0	0.0	0.0	0.1
54	0.0	0.0	0.0	0.0	0.1
55	0.0	0.0	0.0	0.0	0.1
56	0.0	0.0	0.0	0.0	0.1
57	0.0	0.0	0.0	0.0	0.1
58	0.0	0.0	0.0	0.0	0.1
59	0.0	0.0	0.0	0.0	0.1
60 & above	0.0	0.0	0.0	0.0	0.1
Average	***40***	***40***	42	44	***41***
Strength					
17 & below	0.0	0.0	0.0	0.0	-
18	0.0	0.0	0.0	0.0	-
19	0.0	0.0	0.0	0.0	-
20	0.0	0.0	0.0	0.0	-
21	0.0	0.0	0.0	0.0	-
22	0.0	0.0	0.0	0.0	-
23	0.0	0.0	0.0	0.0	-
24	0.0	0.0	0.0	0.0	-
25	0.0	0.0	0.0	0.0	-
26	0.0	0.0	0.0	0.0	*
27	0.0	0.0	0.0	0.0	*
28	0.0	0.0	0.0	0.0	*
29	0.0	0.0	0.0	0.0	*
30	0.0	0.1	0.0	0.0	*
31	0.0	0.1	0.0	0.0	0.1
32	0.1	0.3	0.0	0.0	0.3
33	0.7	0.7	0.1	0.0	0.6
34	2.3	1.0	0.3	0.1	0.9
35	4.5	1.5	1.1	0.4	1.4
36	8.2	2.0	3.1	1.6	2.0
37	12.2	3.2	7.1	5.0	3.6
38	15.8	6.0	14.2	13.1	7.0
39	16.2	10.6	20.5	21.4	12.0
40	14.5	16.8	20.6	23.3	17.5
41	11.8	19.7	16.2	18.8	19.4
42	7.6	16.8	9.4	9.4	15.8
43	3.3	11.1	4.7	4.2	9.9
44	1.8	5.9	2.0	1.9	5.3
45 & above	1.0	4.1	0.9	1.0	3.7
Average	38.9	40.7	39.7	39.9	***40.6***
EXTRANEOUS MATTER					
Bark	1.2	0.0	0.1	0.0	*
Grass	0.0	0.1	0.7	0.0	0.2
Spindle Twist	0.3	0.4	0.0	0.0	0.3
Preparation	0.1	1.6	0.0	0.0	1.4

* Less than 0.05 percent.

NATIONAL AGRICULTURAL LIBRARY
1022668633